

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S19	1448	370/225-228.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 10:22
S20	576 read some	S19 & (redundan \$2 or ((backup stanby) near (link connection port card)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 10:22
S21	0	S20 & (((protecting second redundant standby failover) near (module line link path port interface connection channel)) with (("no" "not" without) near (framer assembler mapper)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 10:22
S22	0	S20 & (((protect \$3 second redundant standby failover) near (module line link path port interface connection channel)) with (("no" "not" without) near (framer assembler mapper)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 10:23

S23	0	S20 & (((protect \$3 second redundant standby failover optional additional alternative alternate) near (module line link path port interface connection channel)) with (("no" "not" without) near (framer assembler mapper)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 10:23
S24	0	S20 & (((protect \$3 second redundant standby failover optional additional alternative alternate backcup) near (module line link path port interface connection channel)) with (("no" "not" without) near (framer assembler mapper)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 10:24
S25	465	S20 & (((protect \$3 second redundant standby failover optional additional alternative alternate backcup) near (module line link path port interface connection channel)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 10:24

S26	0	S20 & (((("no" "not" without) near (framer assembler mapper)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 10:25
S27	0	S20 & (((("no" "not" without) near3 (framer assembler mapper)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 10:25
S28	2	S20 & (((("no" "not" without) with (framer assembler mapper)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 10:25
S29	0	(((protect\$3 second redundant standby failover optional additional alternative alternate backup) near (module line link path port interface connection channel)) with (((("no" "not" without) near (framer assembler mapper)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 10:27
S30	0	(((protect\$3 second redundant standby failover optional additional alternative alternate backup) near (module line link path port interface connection channel)) with (((("no" "not" without) near	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 10:27

		(framer assembler mapper)))				
S31	0	(((protect\$3 second redundant standby failover optional additional alternative alternate backup) near (module line link path port interface connection channel)) with (("no" "not" "without") near (framer assembler mapper)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 10:28
S32	3	(((protect\$3 second redundant standby failover optional additional alternative alternate backup) near (module line link path port interface connection channel)) same (("no" "not" "without") near (framer assembler mapper)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 10:28
S33	62 read some	(((protect\$3 second redundant standby failover optional additional alternative alternate backup) near (module line link path port interface connection channel)) and (("no" "not" "without") near	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 10:30

		(framer assembler mapper)))				
S34	678	(((protect\$3 second redundant standby failover optional additional alternative alternate backup) near (module line link path port interface connection channel)) and (("no" "not" "without") with (framer assembler mapper)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 10:30
S35	48 read some	(((protect\$3 second redundant standby failover optional additional alternative alternate backup) near (module line link path port interface connection channel)) same (("no" "not" "without") with (framer assembler mapper)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 10:31
S36	17 read all	(((protect\$3 second redundant standby failover optional additional alternative alternate backup) near (module line link path port interface connection channel)) and ((bypass\$3 (cut adj through)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 20:24

		cutthrough) near (framer assembler mapper)))				
S37	0	((((protect\$3 second redundant standby failover optional additional alternative alternate backup) near (module line link path port interface connection channel)) same ((bypass\$3 (cut adj through) cutthrough) near (framer assembler mapper)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 21:08
S38	26 read all	((bypass\$3 (cut adj through) cutthrough) near (framer assembler mapper))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 21:09
S39	18 read all	((bypass\$3 (cut adj through) cutthrough) near (framer assembler mapper)) and (stor\$3 memory queue\$3 buffer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 22:33
S40	456	(framer assembler) near (queue buffer stor \$3 memory register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 22:35
S41	1452	370/225-228.cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 22:44

S42	1 read all	S40 & S41	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 22:44
-----	------------------	-----------	---	----	----	---------------------

5/ 8/ 2008 3:00:53 PM

C:\Documents and Settings\ALai1\My Documents\EAST\Workspaces  
\10776460\_link\_protection.wsp